

THE GAMMA FUNCTION ON TIME SCALES

Martin Bohner¹ and Başak Karpuz²

¹Department of Mathematics and Statistics,
Missouri University of Science and Technology,
Rolla, Missouri 65409-0020, USA.
Corresponding author email: bohner@mst.edu

²Department of Mathematics,
Faculty of Science and Arts, ANS Campus,
Afyon Kocatepe University,
03200 Afyonkarahisar, Turkey.

Abstract. We introduce the generalized Gamma function on time scales and prove some of its properties, which coincide with the ones well known in the continuous case. We also define an appropriate factorial function for computing the values of the generalized Gamma function in some special cases.

Keywords. Gamma function, Time scales.

AMS (MOS) subject classification: *Primary* 33B15; *Secondary* 26E70, 39A12.

References

- [1] M. Bohner and A. Peterson, *Dynamic Equations on Time Scales. An Introduction with Applications*, Birkhäuser Boston, Inc., Boston, 2001.
- [2] M. Bohner and A. Peterson, *Advances in Dynamic Equations on Time Scales*, Birkhäuser Boston, Inc., Boston, 2003.
- [3] M. Bohner and G. Sh. Guseinov, Improper integrals on time scales, *Dynam. Systems Appl.* **12** (2003), no. 1-2, 45–65.
- [4] M. Bohner, G. Sh. Guseinov, and B. Karpuz, Properties of the Laplace transform on time scales with arbitrary graininess, *Integral Transforms Spec. Funct.* **22** (2011), no. 11, 785–800.
- [5] V. Kac and P. Cheung, *Quantum Calculus*, Universitext, Springer, 2001.
- [6] J. L. Schiff. *The Laplace Transform. Theory and Applications*, Springer-Verlag, New York, 1999.

Received January 2013; revised May 2013.

<http://monotone.uwaterloo.ca/~journal/>